

Table 1C
2010 Pediatric Nutrition Surveillance (1)
Indiana
Summary of Demographic Indicators
Children Aged < 5 Years (2,3)

Page: 1
Run Date: 4 / 6 / 11

Total Records	Number
Individual Children	181,175
Total Records (All Visits)	308,614

Source of Data	Number	%
WIC	181,175	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	181,175	100.0
<i>Excluded Unknown:</i> 0 0.0 %		

Race/Ethnic Distribution	Number	%
White, Not Hispanic	104,437	57.6
Black, Not Hispanic	31,220	17.2
Hispanic	34,140	18.8
American Indian/Alaska Native	137	0.1
Asian/Pacific Islander	2,938	1.6
Multiple Races	8,300	4.6
All Other	0	0.0
Total	181,172	100.0
<i>Excluded Unknown:</i> 3 * %		

Age Distribution (4)	Number	%
0 - 5 Months	42,678	23.6
6 - 11 Months	20,657	11.4
12 - 23 Months	38,030	21.0
24 - 35 Months	30,553	16.9
3 - 4 Years	49,257	27.2
Total	181,175	100.0

% of Poverty Level	Number	%
0-50	58,899	32.7
51-100	60,204	33.4
101-130	20,666	11.5
131-150	9,372	5.2
151-185	10,573	5.9
186-200	985	0.5
Over 200	2,170	1.2
Adjunctive Eligibility	17,426	9.7
Total	180,295	100.0
<i>Excluded Unknown:</i> 880 0.5 %		

Program Participation	Number	%
WIC	181,175	100.0
SNAP	181,175	12.9
Medicaid	181,175	81.0
TANF	181,175	2.4
<i>Excluded Unknown:</i>		
WIC	0	0.0
SNAP	0	0.0
Medicaid	0	0.0
TANF	0	0.0

Migrant Status	Number	%
Yes	9	*
No	181,166	100.0
Total	181,175	100.0
<i>Excluded Unknown:</i> 0 0.0 %		

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 2C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Summary of Health Indicators
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 4 / 6 / 11

Summary of Health Indicators ⁽³⁾					
			Indiana Prevalence		National Prevalence (Prior Year)
			Number	%	
			Number	%	
Birthweight (4)					
Low	< 2500 g		43,579	8.9	1,961,342 8.9
High	> 4000 g		43,579	6.3	1,961,342 6.4
Height and Weight					
Short Stature (5)	< 5th		176,939	5.9	8,451,215 6.0
	< 10th		176,939	10.8	8,451,215 10.8
Underweight (6)	< 5th		176,939	3.4	8,451,215 4.3
	< 10th		176,939	6.4	8,451,215 7.5
Obese (6) ≥ 2 Yrs Overweight (6)	≥ 95th		176,939	11.9	8,451,215 14.0
	85th - < 95th		78,634	16.6	3,678,355 16.4
	≥ 95th		78,634	14.2	3,678,355 14.7
Anemia (7)					
Low Hb			124,820	14.4	5,201,886 15.1
Low Hct			6	*	538,293 11.6
Low Hb/Hct			124,826	14.4	5,524,196 14.9
Breastfeeding (8)					
Ever Breastfed			43,794	65.1	1,769,160 61.7
Breastfed At Least 6 Months			20,242	21.3	911,779 27.0
Breastfed At Least 12 Months			32,010	9.4	1,092,573 18.5
Smoking in Household					
≤ 2 Hours TV Viewing/ Day (9)			172,220	30.6	4,355,723 10.2
			80,563	72.4	1,022,933 77.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 3C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Summary of Breastfeeding Indicators
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 4 / 6 / 11

Summary of Breastfeeding Indicators ⁽³⁾				
	Indiana Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
Breastfeeding Duration ^(4,5)				
Ever Breastfed	43,794	65.1	1,769,160	61.7
Breastfed 1+ Weeks	36,158	61.5	1,499,573	58.7
Breastfed 2+ Weeks	27,353	63.5	1,164,141	56.4
Breastfed 3+ Weeks	22,368	62.9	947,758	53.6
Breastfed 4+ Weeks	19,765	60.2	826,300	50.9
Breastfed 6+ Weeks	16,226	53.6	704,088	44.6
Breastfed 2+ Months	14,146	47.7	665,172	39.2
Breastfed 3+ Months	14,542	39.8	714,931	34.5
Breastfed 4+ Months	16,289	31.5	806,269	31.0
Breastfed 5+ Months	17,790	25.3	904,357	28.2
Breastfed 6+ Months	20,242	21.3	911,779	27.0
Breastfed 9+ Months	26,736	13.0	1,050,661	21.8
Breastfed 12+ Months	32,010	9.4	1,092,573	18.5
Breastfed 18+ Months	22,793	3.5	862,440	10.1
Exclusive Breastfeeding ⁽⁶⁾				
Exclusively Breastfed at Least 3 Months	14,542	15.1	317,037	9.9
Exclusively Breastfed at Least 6 Months	20,242	8.2	420,655	5.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana

Page: 4
Run Date: 4 / 6 / 11

Comparison of Racial and Ethnic Distribution by Contributor to Nation
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Indiana	181,175	57.6	17.2	18.8	0.1	1.6	4.6	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Comparison of Age Distribution by Contributor to Nation
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 4 / 6 / 11

Comparison of Age Distribution				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Indiana	181,175	35.0	21.0	44.1
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6C
2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 6
Run Date: 4 / 6 / 11

Comparison of Growth and Anemia Indicators by Contributor to Nation
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3)												
Contributor	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Over- weight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th- <95th	% ≥95th	Number	%
Indiana	43,579	8.9	6.3	176,939	5.9	3.4	11.9	78,634	16.6	14.2	124,826	14.4
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and \geq 95th percentile category identifies obese children..

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7C
2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 7
Run Date: 4 / 6 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)								
	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)	Smoking in Household
Contributor	Number	% Ever Breastfed	Number % Breastfed At Least 6 Months	Number % Breastfed At Least 12 Months	Number % Breastfed At Least 3 Months	Number % Breastfed At Least 6 Months	Number %	Number %
Indiana	43,794	65.1	20,242 21.3	32,010 9.4	14,542 15.1	20,242 8.2	80,563 72.4	172,220 30.6
Nation (Prior Year)	1,769,160	61.7	911,779 27.0	1,092,573 18.5	317,037 9.9	420,655 5.3	1,022,933 77.3	4,355,723 10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 8C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Growth and Anemia Indicators by Race/Ethnicity or Age
Children Aged < 5 Years ⁽²⁾

Page: 8
Run Date: 4 / 6 / 11

Growth and Anemia Indicators by Race/Ethnicity or Age ⁽³⁾												
	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Number	Low %	High %	Number	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		<2500 g	>4000 g		% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th		
												Number
Race/Ethnicity												
White, Not Hispanic	25,746	8.4	6.7	102,132	6.3	3.3	11.3	43,830	16.5	13.6	71,652	12.3
Black, Not Hispanic	8,146	13.0	3.7	30,363	6.2	4.8	9.9	13,139	14.4	10.2	20,790	23.1
Hispanic	6,918	6.5	8.0	33,307	4.5	2.3	15.9	16,727	19.2	19.6	24,568	12.3
American Indian/Alaska Native	31	*	*	137	8.8	5.1	10.2	67	*	*	98	*
Asian/Pacific Islander	679	8.2	4.9	2,883	7.1	5.8	8.5	1,231	12.3	9.9	2,064	20.1
Multiple Races	2,058	8.4	6.6	8,115	5.6	3.3	12.4	3,640	15.9	13.6	5,653	15.7
All Other	1	*	*	2	*	*	*	0	*	*	1	*
Total	43,579	8.9	6.3	176,939	5.9	3.4	11.9	78,634	16.6	14.2	124,826	14.4
Age												
0 - 11 Months	-	-	-	58,941	9.6	5.0	6.4	-	*	*	24,844	14.9
12 - 23 Months	-	-	-	39,364	5.4	2.3	15.7	-	*	*	34,584	16.9
24 - 35 Months	-	-	-	30,268	3.7	2.9	12.5	30,268	15.8	12.5	25,447	16.4
36 - 47 Months	-	-	-	25,644	3.5	2.7	14.7	25,644	16.7	14.7	22,482	11.6
48 - 59 Months	-	-	-	22,722	3.0	2.9	16.1	22,722	17.6	16.1	17,469	9.3
Total	-	-	-	176,939	5.9	3.4	11.9	78,634	16.6	14.2	124,826	14.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 9C
2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 9
Run Date: 4 / 6 / 11

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (2)
Children Aged < 5 Years (3)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	25,872	63.9	12,078	18.2	18,549	8.1	45,909	76.7	99,614	40.4
Black, Not Hispanic	8,189	56.2	3,254	17.4	5,542	5.8	12,464	60.3	28,893	20.0
Hispanic	6,953	80.5	3,655	34.1	5,886	15.5	17,292	70.0	32,895	11.1
American Indian/Alaska Native	31	*	14	*	27	*	68	*	130	23.1
Asian/Pacific Islander	680	74.1	378	44.4	584	28.3	1,124	71.4	2,769	11.7
Multiple Races	2,067	61.4	862	15.2	1,421	5.8	3,706	72.0	7,919	34.6
All Other	2	*	1	*	1	*	0	*	0	*
Total	43,794	65.1	20,242	21.3	32,010	9.4	80,563	72.4	172,220	30.6
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	57,216	31.2
12 - 23 Months	-	-	-	-	-	-	0	*	36,941	31.1
24 - 35 Months	-	-	-	-	-	-	33,645	76.1	29,901	30.6
36 - 47 Months	-	-	-	-	-	-	24,842	70.3	25,527	29.7
48 - 59 Months	-	-	-	-	-	-	22,076	69.3	22,635	29.5
Total	43,794	65.1	20,242	21.3	32,010	9.4	80,563	72.4	172,220	30.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) Children aged 2 years and older included in the analysis

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Page: 10
Run Date: 4 / 6 / 11

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2010	181,175	57.6	17.2	18.8	0.1	1.6	4.6	0.0
2009	181,075	57.8	17.3	19.0	0.1	1.4	4.4	0.0
2008	167,598	57.7	17.6	19.1	0.1	1.2	4.3	0.0
2007	151,475	57.8	17.5	19.3	0.1	1.0	4.3	0.0
2006	144,820	58.2	17.7	19.0	0.2	0.9	4.0	0.0
2005	142,610	59.4	17.8	18.0	0.1	0.9	3.7	0.1
2004	134,660	59.9	18.0	16.9	0.1	0.8	1.0	3.4
2003	128,859	61.2	18.4	16.0	0.1	0.7	0.0	3.6
2002	128,142	63.0	18.4	14.6	0.1	0.7	0.0	3.3
2001	127,615	64.6	18.6	13.0	0.1	0.7	0.0	3.0
2000	151,595	66.6	19.5	10.9	0.1	0.5	0.0	2.3
1999	148,354	70.2	18.9	8.6	0.1	0.5	0.0	1.7
1998	149,227	70.5	19.8	7.7	0.1	0.4	0.0	1.5
1997	139,179	71.9	19.9	6.8	0.1	0.4	0.0	1.0
1996	141,490	72.8	19.9	6.0	0.1	0.4	0.0	0.9
1995	141,045	73.4	20.1	5.2	0.1	0.4	0.0	0.7
1994	144,026	74.5	20.0	4.5	0.1	0.5	0.0	0.6
1993	147,720	75.2	19.9	3.9	0.1	0.5	0.0	0.5
1992	141,198	75.3	20.3	3.4	0.1	0.5	0.0	0.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Page: 11
Run Date: 4 / 6 / 11

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1991	132,324	75.6	20.4	3.1	0.1	0.5	0.0	0.3
1990	113,304	75.5	20.8	2.9	0.1	0.5	0.0	0.2
1989	103,309	75.1	21.4	2.8	0.1	0.5	0.0	0.1
1988	118,232	75.0	21.8	2.6	0.1	0.5	0.0	0.0
1987	85,463	75.3	21.4	2.7	0.1	0.5	0.0	0.0
1986	79,650	75.0	21.5	2.9	0.1	0.5	0.0	0.0
1985	74,572	74.1	22.1	3.1	0.1	0.6	0.0	0.0
1984	68,382	73.1	22.9	3.3	0.1	0.6	0.0	0.0
1983	64,350	70.0	25.2	4.2	0.0	0.6	0.0	0.0
1982	48,806	67.2	27.5	4.5	0.1	0.7	0.0	0.0
1981	40,398	62.1	32.3	4.6	0.1	1.0	0.0	0.0
1980	29,293	60.0	34.3	5.0	0.1	0.6	0.0	0.0
1979	23	*	*	*	*	*	*	*
1978	5	*	*	*	*	*	*	*
1977	2	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2010 Pediatric Nutrition Surveillance (1)
Indiana
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Page: 12
Run Date: 4 / 6 / 11

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2010	181,175	35.0	21.0	44.1
2009	181,075	35.9	21.7	42.4
2008	167,598	37.9	21.9	40.2
2007	151,475	39.9	21.5	38.6
2006	144,820	40.7	21.0	38.2
2005	142,610	39.8	21.3	38.8
2004	134,660	33.6	25.8	40.6
2003	128,859	33.7	25.4	40.9
2002	128,142	33.2	25.9	41.0
2001	127,615	34.3	25.4	40.3
2000	151,595	33.9	22.8	43.3
1999	148,354	44.0	19.8	36.2
1998	149,227	37.3	18.9	43.8
1997	139,179	39.3	19.4	41.3
1996	141,490	38.6	19.6	41.8
1995	141,045	38.6	19.2	42.2
1994	144,026	38.2	19.4	42.3
1993	147,720	38.3	19.4	42.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2010 Pediatric Nutrition Surveillance (1)
Indiana
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Page: 13
Run Date: 4 / 6 / 11

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1992	141,198	38.6	20.5	40.9
1991	132,324	40.0	20.6	39.4
1990	113,304	40.8	19.8	39.5
1989	103,309	41.1	20.1	38.7
1988	118,232	38.3	21.7	40.0
1987	85,463	39.3	21.1	39.6
1986	79,650	40.5	20.3	39.2
1985	74,572	39.8	19.9	40.3
1984	68,382	39.2	20.6	40.2
1983	64,350	41.2	21.7	37.2
1982	48,806	39.5	20.1	40.4
1981	40,398	41.0	20.1	38.9
1980	29,293	40.2	20.2	39.6
1979	23	*	*	*
1978	5	*	*	*
1977	2	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Page: 14
Run Date: 4/6/2011

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
2010	43,579	8.9	6.3	176,939	5.9	3.4	11.9	78,634	16.6	14.2	124,826	14.4
2009	45,962	9.1	6.2	177,260	6.2	3.3	12.2	75,671	16.8	14.3	123,735	14.7
2008	45,066	9.6	6.2	163,731	6.5	3.3	12.0	66,499	16.6	14.5	111,604	15.1
2007	43,313	9.3	6.2	147,897	6.8	3.5	11.6	57,660	16.5	14.1	100,242	15.8
2006	42,199	9.5	6.3	141,229	6.7	3.7	11.6	54,591	16.4	14.0	93,853	15.9
2005	40,547	9.4	6.6	138,995	6.6	3.6	11.9	54,498	16.2	14.2	92,659	15.3
2004	40,446	9.2	6.8	132,346	6.5	3.7	11.8	53,874	16.7	14.0	83,599	15.4
2003	38,580	9.0	7.3	126,651	6.5	4.2	11.5	51,953	16.2	13.7	77,646	15.3
2002	37,457	8.8	7.2	126,032	6.5	4.6	10.9	51,759	15.5	12.7	78,997	15.9
2001	37,927	9.1	7.7	125,294	6.6	4.9	10.5	50,713	15.4	12.3	81,568	17.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Page: 15
Run Date: 4/6/2011

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
2000	34,846	8.6	8.2	148,728	6.2	4.3	10.9	64,779	15.6	12.5	95,667	19.1
1999	47,913	8.9	8.2	144,602	6.2	4.4	9.6	52,769	15.3	11.5	96,692	17.6
1998	39,173	8.9	8.5	145,930	5.7	4.5	9.4	64,411	15.0	10.5	108,727	17.8
1997	38,096	8.7	8.4	136,117	5.9	4.5	9.2	56,657	14.7	10.1	99,561	19.0
1996	38,121	8.7	9.0	138,401	6.0	4.7	8.9	58,270	14.6	9.9	101,900	20.1
1995	37,325	8.8	8.8	137,853	6.0	5.1	8.2	58,767	14.1	9.0	101,741	20.2
1994	37,721	8.4	8.8	140,801	6.1	5.0	8.1	60,209	13.6	8.9	104,810	20.7
1993	38,644	8.4	8.9	144,628	6.0	5.1	7.9	61,502	14.0	8.7	107,240	20.2
1992	37,096	8.2	9.4	138,667	6.0	5.1	7.6	57,227	13.8	8.5	102,940	19.2
1991	35,805	8.1	9.3	129,802	6.2	5.4	7.2	51,654	12.8	7.7	94,925	22.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Page: 16
Run Date: 4/6/2011

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
1990	29,650	8.0	9.3	111,126	6.3	5.4	7.3	44,276	13.2	7.4	79,940	21.8
1989	29,066	8.6	9.4	101,217	6.8	5.4	7.5	39,497	13.2	7.6	73,825	24.2
1988	30,345	8.7	9.1	116,420	7.2	5.2	7.5	46,767	12.5	7.5	79,837	19.4
1987	22,492	8.9	9.0	84,394	7.1	5.8	7.5	33,530	12.1	7.3	64,464	16.9
1986	21,262	8.7	9.1	78,601	6.9	6.1	7.3	30,974	12.4	6.9	58,952	15.0
1985	19,669	8.9	8.7	73,507	6.9	5.8	7.7	29,847	12.4	7.3	54,460	11.4
1984	18,023	9.8	8.4	67,333	7.4	6.4	7.5	27,196	12.7	6.9	52,225	17.0
1983	16,326	9.5	8.3	62,558	7.8	6.4	7.4	23,550	12.5	7.2	47,449	18.8
1982	13,341	9.6	8.0	46,426	8.8	7.2	8.1	19,291	13.1	8.2	36,527	21.2
1981	10,608	10.1	7.9	36,864	10.1	6.7	9.6	15,413	13.8	8.4	29,718	23.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years ⁽²⁾

Page: 17
Run Date: 4/6/2011

Summary of Trends in Growth and Anemia Indicators ⁽³⁾												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
1980	9,190	11.1	7.3	26,603	10.3	6.9	10.3	11,344	13.3	8.4	21,165	29.6
1979	8	*	*	6	*	*	*	4	*	*	10	*
1978	2	*	*	0	*	*	*	0	*	*	1	*
1977	1	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Page: 18
Run Date: 4/6/2011

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2010	43,794	65.1	20,242	21.3	32,010	9.4
2009	46,048	61.9	17,581	23.5	33,025	10.2
2008	44,954	61.5	17,798	22.6	31,008	10.1
2007	42,986	60.7	26,125	18.9	27,815	9.3
2006	41,736	60.0	23,955	19.2	25,281	9.2
2005	39,971	57.3	14,022	23.9	25,342	8.8
2004	39,950	54.1	13,920	22.0	24,858	10.5
2003	38,747	52.5	11,625	21.5	22,702	14.1
2002	37,611	50.4	11,478	20.5	22,793	13.5
2001	38,123	48.8	12,209	19.0	22,596	12.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Page: 19
Run Date: 4/6/2011

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2000	35,126	45.4	13,203	16.3	19,339	7.9
1999	48,505	44.1	22,666	12.8	20,696	6.0
1998	39,390	43.9	22,394	12.3	18,380	5.4
1997	38,252	41.4	22,362	11.9	18,720	5.3
1996	38,307	38.8	22,382	10.8	19,233	4.8
1995	37,501	36.8	22,761	10.5	18,660	4.5
1994	37,922	35.2	23,124	10.2	19,047	4.7
1993	38,804	34.3	23,665	9.7	19,413	4.3
1992	37,310	31.6	23,408	10.7	19,823	6.5
1991	36,026	29.5	22,157	10.1	18,689	6.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Page: 20
Run Date: 4/6/2011

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1990	29,859	26.0	18,480	9.3	14,338	6.4
1989	29,181	25.5	18,999	9.7	14,873	5.6
1988	30,383	32.4	21,565	7.7	15,932	4.7
1987	22,589	40.7	16,708	8.1	13,121	6.9
1986	21,379	37.8	15,687	13.9	11,393	12.8
1985	19,783	34.0	13,560	15.2	10,561	13.5
1984	18,148	31.3	12,111	14.9	9,872	12.6
1983	8,666	25.4	6,036	14.3	4,866	12.4
1982	4	*	5	*	4	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 14C
2010 Pediatric Nutrition Surveillance
Indiana
Children Aged < 5 Years

Page: 21
Run Date: 4 / 6 / 11

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C
2010 Pediatric Nutrition Surveillance
Indiana
Children Aged < 5 Years

Page: 22
Run Date: 4 / 6 / 11

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 16C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 23
Run Date: 4/6/2011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th % ≥95th
White, Not Hispanic								
0 - 11 Months	35,988	9.7	35,988	4.9	35,988	6.1	0	0.0 0.0
12 - 23 Months	22,314	5.8	22,314	2.2	22,314	15.2	0	0.0 0.0
24 - 59 Months	43,830	3.8	43,830	2.7	43,830	13.6	43,830	16.5 13.6
Total	102,132	6.3	102,132	3.3	102,132	11.3	43,830	16.5 13.6
Black, Not Hispanic								
0 - 11 Months	9,971	11.8	9,971	6.7	9,971	6.0	0	0.0 0.0
12 - 23 Months	7,253	5.1	7,253	3.1	7,253	14.8	0	0.0 0.0
24 - 59 Months	13,139	2.6	13,139	4.3	13,139	10.2	13,139	14.4 10.2
Total	30,363	6.2	30,363	4.8	30,363	9.9	13,139	14.4 10.2
Hispanic								
0 - 11 Months	9,275	7.1	9,275	3.6	9,275	7.5	0	0.0 0.0
12 - 23 Months	7,305	4.8	7,305	1.5	7,305	18.2	0	0.0 0.0
24 - 59 Months	16,727	3.0	16,727	1.9	16,727	19.6	16,727	19.2 19.6
Total	33,307	4.5	33,307	2.3	33,307	15.9	16,727	19.2 19.6
American Indian/Alaska Native								
0 - 11 Months	36	*	36	*	36	*	0	* *
12 - 23 Months	34	*	34	*	34	*	0	* *
24 - 59 Months	67	*	67	*	67	*	67	* *
Total	137	8.8	137	5.1	137	10.2	67	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 24
Run Date: 4/6/2011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th % ≥95th
Asian/Pacific Islander								
0 - 11 Months	928	8.3	928	7.5	928	5.9	0	0.0 0.0
12 - 23 Months	724	7.9	724	5.1	724	9.5	0	0.0 0.0
24 - 59 Months	1,231	5.7	1,231	5.0	1,231	9.9	1,231	12.3 9.9
Total	2,883	7.1	2,883	5.8	2,883	8.5	1,231	12.3 9.9
Multiple Races								
0 - 11 Months	2,742	9.7	2,742	4.9	2,742	7.7	0	0.0 0.0
12 - 23 Months	1,733	4.4	1,733	2.0	1,733	17.7	0	0.0 0.0
24 - 59 Months	3,640	3.0	3,640	2.7	3,640	13.6	3,640	15.9 13.6
Total	8,115	5.6	8,115	3.3	8,115	12.4	3,640	15.9 13.6
All Other/Unknown								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	2	*	2	*	2	*	0	* *
Total All Race/Ethnic Groups								
0 - 11 Months	58,941	9.6	58,941	5.0	58,941	6.4	0	0.0 0.0
12 - 23 Months	39,364	5.4	39,364	2.3	39,364	15.7	0	0.0 0.0
24 - 59 Months	78,634	3.4	78,634	2.8	78,634	14.2	78,634	16.6 14.2
Total	176,939	5.9	176,939	3.4	176,939	11.9	78,634	16.6 14.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17C
2010 Pediatric Nutrition Surveillance (1)
Indiana
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 25
Run Date: 4 / 6 / 11

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	16,705	14.0	6 - 11 Months	338	20.4
12 - 17 Months	7,876	17.5	12 - 17 Months	331	23.9
18 - 23 Months	10,984	12.0	18 - 23 Months	355	20.6
24 - 35 Months	14,075	13.4	24 - 35 Months	463	23.3
36 - 59 Months	22,012	8.5	36 - 59 Months	577	14.7
Total	71,652	12.3	Total	2,064	20.1
Black, Not Hispanic			Multiple Races		
6 - 11 Months	2,973	21.3	6 - 11 Months	1,084	16.8
12 - 17 Months	3,620	26.2	12 - 17 Months	721	19.7
18 - 23 Months	3,180	24.0	18 - 23 Months	819	16.5
24 - 35 Months	4,330	27.6	24 - 35 Months	1,195	16.6
36 - 59 Months	6,687	19.0	36 - 59 Months	1,834	12.7
Total	20,790	23.1	Total	5,653	15.7
Hispanic			All Other/Unknown		
6 - 11 Months	3,729	13.1	6 - 11 Months	0	*
12 - 17 Months	3,206	17.2	12 - 17 Months	1	*
18 - 23 Months	3,466	12.7	18 - 23 Months	0	*
24 - 35 Months	5,355	14.4	24 - 35 Months	0	*
36 - 59 Months	8,812	8.7	36 - 59 Months	0	*
Total	24,568	12.3	Total	1	*
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	15	*	6 - 11 Months	24,844	14.9
12 - 17 Months	16	*	12 - 17 Months	15,771	19.7
18 - 23 Months	9	*	18 - 23 Months	18,813	14.5
24 - 35 Months	29	*	24 - 35 Months	25,447	16.4
36 - 59 Months	29	*	36 - 59 Months	39,951	10.6
Total	98	*	Total	124,826	14.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana

Page: 26
Run Date: 4 / 6 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th -	% <95th	% ≥ 95th	Number
White, Not Hispanic	2010	25,746	8.4	6.7	102,132	6.3	3.3	11.3	43,830	16.5	13.6	71,652	12.3
	2009	27,292	8.7	6.7	102,653	6.5	3.2	11.5	42,358	16.7	13.4	71,325	12.7
	2008	26,639	9.1	6.7	94,543	6.8	3.3	11.1	37,292	16.6	13.5	64,144	12.8
	2007	25,301	8.8	6.7	85,540	7.1	3.4	10.8	32,756	16.6	13.1	57,993	14.0
	2006	24,427	9.1	6.6	82,294	6.9	3.5	10.8	31,482	16.6	13.2	54,861	14.0
	2005	24,215	9.3	6.9	82,683	6.9	3.5	11.0	31,956	16.2	13.2	55,160	13.3
	2004	23,897	8.9	7.2	79,455	6.8	3.6	10.9	32,465	16.8	13.1	49,863	13.5
	2003	23,471	8.7	8.0	77,728	6.8	4.1	10.8	32,181	16.2	12.8	46,797	13.2
	2002	23,121	8.5	7.7	79,544	6.7	4.4	10.2	33,471	15.6	12.1	49,314	13.8
	2001	23,709	8.5	8.4	81,139	6.8	4.6	9.9	33,751	15.4	11.7	52,896	14.6
Black, Not Hispanic	2010	8,146	13.0	3.7	30,363	6.2	4.8	9.9	13,139	14.4	10.2	20,790	23.1
	2009	8,406	12.8	3.6	30,528	6.6	4.6	10.0	12,760	14.3	10.0	20,788	23.9
	2008	8,471	13.6	3.5	28,667	7.5	4.8	10.2	11,366	14.6	10.6	18,950	24.6
	2007	8,134	13.0	3.6	25,799	8.1	4.8	9.8	9,646	14.5	10.3	16,908	24.3
	2006	8,161	13.0	4.3	24,863	8.0	5.6	10.2	9,182	13.9	10.7	15,892	24.9
	2005	7,762	12.5	4.5	24,654	7.8	5.0	11.1	9,436	14.3	11.5	15,976	24.0
	2004	7,624	12.4	4.4	23,631	7.3	5.0	11.4	9,505	14.3	12.2	15,198	23.2
	2003	7,419	12.4	4.1	23,197	7.3	5.5	11.3	9,328	15.5	12.7	14,855	23.5
	2002	7,370	12.2	4.6	22,998	7.3	6.2	10.8	9,071	14.1	11.8	14,886	24.3
	2001	7,550	12.4	4.8	23,092	7.3	6.7	10.5	8,991	14.3	11.4	15,104	27.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana

Page: 27
Run Date: 4 / 6 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th -	% <95th	% ≥ 95th	Number
Hispanic	2010	6,918	6.5	8.0	33,307	4.5	2.3	15.9	16,727	19.2	19.6	24,568	12.3
	2009	7,581	7.0	7.3	33,649	4.8	2.1	16.4	16,084	19.0	20.4	24,396	11.8
	2008	7,567	6.9	7.7	31,317	4.8	2.1	16.4	14,019	18.8	20.7	22,176	12.6
	2007	7,610	6.9	7.7	28,576	5.2	2.2	15.7	12,082	18.0	19.9	19,874	13.0
	2006	7,418	7.3	8.1	26,883	5.2	2.4	15.4	11,195	18.2	19.6	18,333	13.4
	2005	6,717	6.3	8.2	25,071	4.8	2.6	15.9	10,571	18.1	19.6	17,063	13.3
	2004	6,295	6.8	8.4	22,321	4.6	2.6	15.6	9,431	18.8	19.5	14,672	13.4
	2003	5,848	6.3	8.7	20,218	4.6	3.0	15.0	8,449	17.6	18.9	12,766	13.3
	2002	5,277	5.9	8.5	18,417	4.9	3.3	14.3	7,407	17.2	16.8	11,791	13.8
	2001	5,020	7.2	8.8	16,309	5.2	3.7	13.8	6,313	16.6	17.3	10,692	16.2
American Indian/Alaska Native	2010	31	*	*	137	8.8	5.1	10.2	67	*	*	98	*
	2009	35	*	*	168	3.6	2.4	12.5	77	*	*	120	19.2
	2008	48	*	*	195	8.2	6.2	14.4	80	*	*	143	11.9
	2007	51	*	*	199	5.5	3.5	12.6	88	*	*	136	16.9
	2006	74	*	*	215	4.7	4.2	16.3	66	*	*	132	15.2
	2005	55	*	*	205	8.3	4.4	14.1	73	*	*	138	12.3
	2004	67	*	*	182	5.5	4.4	16.5	72	*	*	113	16.8
	2003	44	*	*	158	4.4	3.8	14.6	67	*	*	101	15.8
	2002	46	*	*	159	6.3	3.8	8.2	69	*	*	99	*
	2001	46	*	*	153	9.2	7.2	20.3	68	*	*	104	12.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Indiana

Page: 28
Run Date: 4 / 6 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th -	% <95th	% ≥ 95th	Number
Asian/Pacific Islander	2010	679	8.2	4.9	2,883	7.1	5.8	8.5	1,231	12.3	9.9	2,064	20.1
	2009	698	7.4	3.6	2,534	6.3	5.8	8.3	1,010	12.0	9.3	1,735	20.5
	2008	539	8.7	5.9	1,949	6.5	5.7	7.6	778	12.3	8.2	1,299	19.9
	2007	428	6.1	4.2	1,457	6.7	5.8	8.8	567	13.8	9.2	989	20.9
	2006	372	7.3	3.5	1,217	4.7	5.9	7.2	434	10.8	7.4	787	16.9
	2005	356	5.9	5.6	1,181	4.2	5.5	7.7	427	14.5	8.9	768	16.0
	2004	353	7.9	4.5	1,036	4.6	4.9	7.4	382	10.2	7.1	592	14.5
	2003	289	5.5	5.5	863	4.5	5.6	6.8	307	12.1	6.8	477	14.5
	2002	281	6.8	6.0	821	6.1	5.7	7.6	300	12.0	7.3	476	15.3
	2001	294	9.9	5.4	820	4.9	6.7	6.7	275	14.2	6.5	487	18.1
Multiple Races	2010	2,058	8.4	6.6	8,115	5.6	3.3	12.4	3,640	15.9	13.6	5,653	15.7
	2009	1,949	8.6	6.1	7,725	5.2	3.2	12.3	3,380	18.0	12.6	5,370	16.9
	2008	1,802	9.0	5.7	7,047	5.3	3.1	12.5	2,953	16.3	13.9	4,883	17.3
	2007	1,787	9.3	5.1	6,296	5.9	3.7	12.3	2,493	16.0	14.4	4,318	17.3
	2006	1,745	9.2	6.0	5,694	6.1	4.3	11.2	2,180	15.7	13.1	3,793	17.6
	2005	1,442	10.8	5.7	5,091	5.5	3.7	11.7	1,990	16.0	14.5	3,451	15.8
	2004	502	8.6	6.0	1,273	6.4	4.4	13.8	376	14.6	18.6	770	17.0
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2010 Pediatric Nutrition Surveillance (1)
Indiana

Page: 29
Run Date: 4 / 6 / 11

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight						Anemia Low Hb/Hct (7)		
		Low	High	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th	Number	%
All Other/Unknown	2010	1	*	*	2	*	*	*	0	*	*	1	*
	2009	1	*	*	3	*	*	*	2	*	*	1	*
	2008	0	*	*	13	*	*	*	11	*	*	9	*
	2007	2	*	*	30	*	*	*	28	*	*	24	*
	2006	2	*	*	63	*	*	*	52	*	*	55	*
	2005	0	*	*	110	7.3	3.6	17.3	45	*	*	103	26.2
	2004	1,708	8.0	7.0	4,448	6.1	3.9	11.2	1,643	16.5	12.5	2,391	16.7
	2003	1,509	9.0	6.6	4,487	5.9	5.2	10.9	1,621	16.0	11.7	2,650	17.7
	2002	1,362	8.6	6.9	4,093	5.9	5.2	10.3	1,441	15.1	11.9	2,431	16.8
	2001	1,308	7.6	8.0	3,781	5.9	5.6	10.9	1,315	15.0	11.9	2,285	17.3
Total All Race/Ethnic Groups	2010	43,579	8.9	6.3	176,939	5.9	3.4	11.9	78,634	16.6	14.2	124,826	14.4
	2009	45,962	9.1	6.2	177,260	6.2	3.3	12.2	75,671	16.8	14.3	123,735	14.7
	2008	45,066	9.6	6.2	163,731	6.5	3.3	12.0	66,499	16.6	14.5	111,604	15.1
	2007	43,313	9.3	6.2	147,897	6.8	3.5	11.6	57,660	16.5	14.1	100,242	15.8
	2006	42,199	9.5	6.3	141,229	6.7	3.7	11.6	54,591	16.4	14.0	93,853	15.9
	2005	40,547	9.4	6.6	138,995	6.6	3.6	11.9	54,498	16.2	14.2	92,659	15.3
	2004	40,446	9.2	6.8	132,346	6.5	3.7	11.8	53,874	16.7	14.0	83,599	15.4
	2003	38,580	9.0	7.3	126,651	6.5	4.2	11.5	51,953	16.2	13.7	77,646	15.3
	2002	37,457	8.8	7.2	126,032	6.5	4.6	10.9	51,759	15.5	12.7	78,997	15.9
	2001	37,927	9.1	7.7	125,294	6.6	4.9	10.5	50,713	15.4	12.3	81,568	17.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2010 Pediatric Nutrition Surveillance (1)
Indiana
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Page: 30
Run Date: 4 / 6 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity ⁽³⁾							
Race/Ethnicity and Year		Breastfeeding ⁽⁴⁾					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2010	25,872	63.9	12,078	18.2	18,549	8.1
	2009	27,328	60.4	10,327	19.7	19,096	8.3
	2008	26,572	59.4	10,390	18.4	17,738	8.4
	2007	25,070	58.3	16,170	15.5	15,795	7.6
	2006	24,193	57.7	14,828	15.3	14,599	7.7
	2005	23,950	55.4	8,106	19.6	14,778	7.4
	2004	23,549	51.9	8,173	18.0	14,782	8.5
	2003	23,567	51.4	7,051	17.7	13,620	11.2
	2002	23,209	49.0	7,069	17.2	14,048	11.0
	2001	23,811	47.5	7,549	16.5	14,237	10.7
Black, Not Hispanic	2010	8,189	56.2	3,254	17.4	5,542	5.8
	2009	8,429	52.3	2,957	17.8	5,813	6.6
	2008	8,438	52.2	2,934	18.4	5,407	6.3
	2007	8,077	52.0	4,100	14.0	4,987	5.2
	2006	7,981	51.7	3,717	15.7	4,483	5.3
	2005	7,504	46.6	2,432	19.2	4,470	5.9
	2004	7,529	44.5	2,360	16.1	4,394	7.6
	2003	7,457	40.1	2,073	17.9	4,240	11.6
	2002	7,407	38.6	2,111	16.4	4,217	11.1
	2001	7,601	37.4	2,215	14.4	4,195	10.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2010 Pediatric Nutrition Surveillance (1)
Indiana
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Page: 31
Run Date: 4 / 6 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity ⁽³⁾							
Race/Ethnicity and Year		Breastfeeding ⁽⁴⁾					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2010	6,953	80.5	3,655	34.1	5,886	15.5
	2009	7,604	78.4	3,288	39.4	6,195	18.3
	2008	7,564	79.0	3,430	37.1	6,089	17.9
	2007	7,574	77.6	4,562	34.8	5,506	17.5
	2006	7,402	77.1	4,263	34.6	4,957	16.5
	2005	6,688	75.8	2,791	39.8	4,775	15.2
	2004	6,254	73.0	2,675	39.1	4,464	19.6
	2003	5,874	71.7	1,946	38.1	3,770	26.8
	2002	5,301	70.9	1,799	36.5	3,574	24.3
	2001	5,054	68.8	1,883	33.1	3,225	21.6
American Indian/Alaska Native	2010	31	*	14	*	27	*
	2009	36	*	15	*	32	*
	2008	48	*	27	*	41	*
	2007	52	*	29	*	41	*
	2006	74	*	30	*	39	*
	2005	51	*	35	*	45	*
	2004	66	*	17	*	27	*
	2003	44	*	17	*	35	*
	2002	46	*	8	*	25	*
	2001	46	*	13	*	27	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2010 Pediatric Nutrition Surveillance (1)
Indiana
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Page: 32
Run Date: 4 / 6 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity ⁽³⁾							
Race/Ethnicity and Year		Breastfeeding ⁽⁴⁾					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2010	680	74.1	378	44.4	584	28.3
	2009	701	70.8	301	49.5	509	31.8
	2008	539	78.1	279	55.2	393	33.3
	2007	427	83.8	248	49.2	277	28.9
	2006	370	75.7	216	52.8	234	24.8
	2005	353	76.5	150	45.3	227	26.4
	2004	353	76.2	126	46.0	200	27.0
	2003	289	68.9	96	*	171	27.5
	2002	281	67.3	82	*	151	27.2
	2001	295	69.2	93	*	157	25.5
Multiple Races	2010	2,067	61.4	862	15.2	1,421	5.8
	2009	1,949	55.9	693	16.5	1,380	7.0
	2008	1,793	57.1	738	16.5	1,340	6.6
	2007	1,784	55.9	1,016	14.7	1,209	6.3
	2006	1,714	55.1	898	15.6	968	7.5
	2005	1,425	53.1	494	19.2	1,000	7.8
	2004	494	57.3	268	16.0	353	7.4
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2010 Pediatric Nutrition Surveillance (1)
Indiana
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Page: 33
Run Date: 4 / 6 / 11

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity ⁽³⁾							
Race/Ethnicity and Year		Breastfeeding ⁽⁴⁾					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2010	2	*	1	*	1	*
	2009	1	*	0	*	0	*
	2008	0	*	0	*	0	*
	2007	2	*	0	*	0	*
	2006	2	*	3	*	1	*
	2005	0	*	14	*	47	*
	2004	1,705	52.2	301	20.3	638	10.3
	2003	1,516	52.9	442	21.9	866	15.5
	2002	1,367	53.6	409	24.0	778	17.6
	2001	1,316	54.6	456	20.6	755	14.4
Total All Race/Ethnic Groups	2010	43,794	65.1	20,242	21.3	32,010	9.4
	2009	46,048	61.9	17,581	23.5	33,025	10.2
	2008	44,954	61.5	17,798	22.6	31,008	10.1
	2007	42,986	60.7	26,125	18.9	27,815	9.3
	2006	41,736	60.0	23,955	19.2	25,281	9.2
	2005	39,971	57.3	14,022	23.9	25,342	8.8
	2004	39,950	54.1	13,920	22.0	24,858	10.5
	2003	38,747	52.5	11,625	21.5	22,702	14.1
	2002	37,611	50.4	11,478	20.5	22,793	13.5
	2001	38,123	48.8	12,209	19.0	22,596	12.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20C
2010 Pediatric Nutrition Surveillance (1)
Indiana
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Page: 34
Run Date: 4 / 6 / 11

Summary of Trends in Growth Indicators by Age ⁽³⁾																		
Age and Year *		Height and Weight								Age and Year *		Height and Weight						
		Short Stature (4)		Under-weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)						Short Stature (4)		Under-weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)		
		Number	%	%	%	Number	%	%				Number	%	%	%	Number	%	%
		<5th	<5th	≥95th		85th-<95th	≥95th				<5th	<5th	≥ 95th		85th-<95th	≥95th		
0 - 11 Months																		
2010		58,941	9.6	5.0	6.4	0	*	*	2010		30,268	3.7	2.9	12.5	30,268	15.8	12.5	
2009		60,643	9.8	4.8	6.7	0	*	*	2009		29,738	3.7	2.6	12.2	29,738	16.0	12.2	
2008		58,872	10.2	4.8	6.8	0	*	*	2008		26,161	3.7	2.8	12.6	26,161	16.1	12.6	
2007		55,858	10.5	4.8	7.0	0	*	*	2007		22,628	3.5	2.9	12.0	22,628	15.5	12.0	
2006		54,778	9.9	5.1	6.7	0	*	*	2006		21,412	3.8	3.0	12.0	21,412	15.3	12.0	
2005		52,549	9.6	5.0	7.2	0	*	*	2005		20,864	4.0	3.1	12.5	20,864	15.4	12.5	
2004		43,897	9.8	5.9	6.0	0	*	*	2004		20,580	4.2	3.3	12.0	20,580	15.6	12.0	
2003		42,180	9.5	6.8	5.4	0	*	*	2003		20,309	4.2	3.3	12.1	20,309	15.3	12.1	
2002		41,388	9.7	7.2	5.3	0	*	*	2002		20,365	4.1	4.1	10.7	20,365	14.0	10.7	
2001		42,465	9.5	7.6	5.3	0	*	*	2001		19,780	3.9	4.2	10.6	19,780	14.2	10.6	
12 - 23 Months																		
2010		39,364	5.4	2.3	15.7	0	*	*	2010		25,644	3.5	2.7	14.7	25,644	16.7	14.7	
2009		40,946	5.7	2.1	16.4	0	*	*	2009		24,394	3.5	2.8	14.9	24,394	16.9	14.9	
2008		38,360	5.8	2.2	15.6	0	*	*	2008		21,334	3.7	2.8	15.3	21,334	16.7	15.3	
2007		34,379	6.1	2.4	15.1	0	*	*	2007		18,855	3.9	2.9	14.7	18,855	16.8	14.7	
2006		31,860	5.8	2.7	15.7	0	*	*	2006		17,556	4.3	2.9	14.8	17,556	16.9	14.8	
2005		31,948	5.9	2.3	15.7	0	*	*	2005		17,620	4.5	3.0	14.3	17,620	16.5	14.3	
2004		34,575	5.8	2.2	15.8	0	*	*	2004		18,027	4.4	2.9	15.1	18,027	16.8	15.1	
2003		32,518	6.3	2.5	16.0	0	*	*	2003		16,954	4.4	3.1	14.3	16,954	16.5	14.3	
2002		32,885	6.2	2.6	15.2	0	*	*	2002		16,939	4.4	3.5	13.3	16,939	16.2	13.3	
2001		32,116	6.3	2.9	14.7	0	*	*	2001		16,801	4.9	4.1	12.9	16,801	15.8	12.9	
24 - 35 Months																		
2010		58,941	9.6	5.0	6.4	0	*	*	2010		30,268	3.7	2.9	12.5	30,268	15.8	12.5	
2009		60,643	9.8	4.8	6.7	0	*	*	2009		29,738	3.7	2.6	12.2	29,738	16.0	12.2	
2008		58,872	10.2	4.8	6.8	0	*	*	2008		26,161	3.7	2.8	12.6	26,161	16.1	12.6	
2007		55,858	10.5	4.8	7.0	0	*	*	2007		22,628	3.5	2.9	12.0	22,628	15.5	12.0	
2006		54,778	9.9	5.1	6.7	0	*	*	2006		21,412	3.8	3.0	12.0	21,412	15.3	12.0	
2005		52,549	9.6	5.0	7.2	0	*	*	2005		20,864	4.0	3.1	12.5	20,864	15.4	12.5	
2004		43,897	9.8	5.9	6.0	0	*	*	2004		20,580	4.2	3.3	12.0	20,580	15.6	12.0	
2003		42,180	9.5	6.8	5.4	0	*	*	2003		20,309	4.2	3.3	12.1	20,309	15.3	12.1	
2002		41,388	9.7	7.2	5.3	0	*	*	2002		20,365	4.1	4.1	10.7	20,365	14.0	10.7	
2001		42,465	9.5	7.6	5.3	0	*	*	2001		19,780	3.9	4.2	10.6	19,780	14.2	10.6	
36 - 47 Months																		
2010		39,364	5.4	2.3	15.7	0	*	*	2010		25,644	3.5	2.7	14.7	25,644	16.7	14.7	
2009		40,946	5.7	2.1	16.4	0	*	*	2009		24,394	3.5	2.8	14.9	24,394	16.9	14.9	
2008		38,360	5.8	2.2	15.6	0	*	*	2008		21,334	3.7	2.8	15.3	21,334	16.7	15.3	
2007		34,379	6.1	2.4	15.1	0	*	*	2007		18,855	3.9	2.9	14.7	18,855	16.8	14.7	
2006		31,860	5.8	2.7	15.7	0	*	*	2006		17,556	4.3	2.9	14.8	17,556	16.9	14.8	
2005		31,948	5.9	2.3	15.7	0	*	*	2005		17,620	4.5	3.0	14.3	17,620	16.5	14.3	
2004		34,575	5.8	2.2	15.8	0	*	*	2004		18,027	4.4	2.9	15.1	18,027	16.8	15.1	
2003		32,518	6.3	2.5	16.0	0	*	*	2003		16,954	4.4	3.1	14.3	16,954	16.5	14.3	
2002		32,885	6.2	2.6	15.2	0	*	*	2002		16,939	4.4	3.5	13.3	16,939	16.2	13.3	
2001		32,116	6.3	2.9	14.7	0	*	*	2001		16,801	4.9	4.1	12.9	16,801	15.8	12.9	

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20C
2010 Pediatric Nutrition Surveillance (1)
Indiana
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Page: 35
Run Date: 4 / 6 / 11

Summary of Trends in Growth Indicators by Age ⁽³⁾																			
Age and Year *		Height and Weight									Age and Year *		Height and Weight						
		Short Stature (4)		Under- weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)							Short Stature (4)		Under- weight (5)	Obese (5)	≥ 2 Yrs Overweight (5)		
		Number	%	%	%	Number	%	%					Number	%	%	%	Number	%	%
		<5th	<5th	_>95th	85th-<95th			≥95th			<5th	<5th	≥ 95th	85th-<95th			≥ 95th		
48 - 59 Months																			
2010		22,722	3.0	2.9	16.1	22,722			17.6	16.1									
2009		21,539	3.1	2.6	16.4	21,539			17.6	16.4									
2008		19,004	3.2	2.5	16.3	19,004			17.3	16.3									
2007		16,177	3.7	2.6	16.1	16,177			17.4	16.1									
2006		15,623	3.9	2.9	16.0	15,623			17.2	16.0									
2005		16,014	3.7	2.8	16.2	16,014			17.0	16.2									
2004		15,267	3.8	2.5	15.5	15,267			18.0	15.5									
2003		14,690	4.0	3.3	15.4	14,690			17.2	15.4									
2002		14,455	4.1	3.3	14.7	14,455			16.8	14.7									
2001		14,132	4.5	3.4	14.1	14,132			16.5	14.1									
Total All Age Groups																			
2010		176,939	5.9	3.4	11.9	78,634			16.6	14.2									
2009		177,260	6.2	3.3	12.2	75,671			16.8	14.3									
2008		163,731	6.5	3.3	12.0	66,499			16.6	14.5									
2007		147,897	6.8	3.5	11.6	57,660			16.5	14.1									
2006		141,229	6.7	3.7	11.6	54,591			16.4	14.0									
2005		138,995	6.6	3.6	11.9	54,498			16.2	14.2									
2004		132,346	6.5	3.7	11.8	53,874			16.7	14.0									
2003		126,651	6.5	4.2	11.5	51,953			16.2	13.7									
2002		126,032	6.5	4.6	10.9	51,759			15.5	12.7									
2001		125,294	6.6	4.9	10.5	50,713			15.4	12.3									

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2010 Pediatric Nutrition Surveillance (1)
Indiana
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Page: 36
Run Date: 4 / 6 / 11

Summary of Trends in Anemia by Age (3)						
Age and Year		Anemia Low Hb/Hct (4)				
		Number	%			
6 - 11 Months				18 - 23 Months		
	2010	24,844	14.9		2010	18,813 14.5
	2009	23,782	15.0		2009	19,308 14.6
	2008	21,731	14.6		2008	16,894 15.2
	2007	17,522	15.6		2007	14,542 16.3
	2006	16,672	15.6		2006	13,319 16.1
	2005	16,096	14.3		2005	13,315 15.8
	2004	5,271	16.1		2004	13,027 16.3
	2003	1,431	18.5		2003	12,773 15.5
	2002	1,761	21.3		2002	12,115 17.0
	2001	2,309	20.5		2001	11,536 19.7
12 - 17 Months				24 - 35 Months		
	2010	15,771	19.7		2010	25,447 16.4
	2009	16,766	20.0		2009	25,498 16.2
	2008	16,764	19.7		2008	22,238 17.3
	2007	17,333	20.0		2007	20,218 18.2
	2006	15,865	19.7		2006	19,158 19.1
	2005	15,587	18.9		2005	18,414 18.1
	2004	17,547	18.7		2004	18,501 16.9
	2003	16,734	18.9		2003	18,436 17.7
	2002	18,347	17.9		2002	18,674 18.3
	2001	21,110	18.5		2001	18,492 20.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2010 Pediatric Nutrition Surveillance (1)
Indiana
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Page: 37
Run Date: 4 / 6 / 11

Summary of Trends in Anemia by Age (3)								
Age and Year		Anemia Low Hb/Hct (4)			Age and Year		Anemia Low Hb/Hct (4)	
		Number	%		Number	%		
36 - 59 Months					Total All Age Groups			
	2010	39,951	10.6			2010	124,826	14.4
	2009	38,381	11.3			2009	123,735	14.7
	2008	33,977	11.5			2008	111,604	15.1
	2007	30,627	11.6			2007	100,242	15.8
	2006	28,839	11.8			2006	93,853	15.9
	2005	29,247	11.9			2005	92,659	15.3
	2004	29,253	12.0			2004	83,599	15.4
	2003	28,272	11.5			2003	77,646	15.3
	2002	28,100	12.2			2002	78,997	15.9
	2001	28,121	13.2			2001	81,568	17.3
All Other/Unknown								
	2010	0	*					
	2009	0	*					
	2008	0	*					
	2007	0	*					
	2006	0	*					
	2005	0	*					
	2004	0	*					
	2003	0	*					
	2002	0	*					
	2001	0	*					

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

